





The Northeastern University School of Nursing is an Accredited Provider of Nursing Continuing Professional Development by the American Nurses Credentialing Center's Commission on Accreditation (ANCC).

The conference planners and presenters have no conflict of interest to declare related to the planning, implementation and evaluation of this conference.

No commercial support has been received for this conference.











Objectives

- Review common orthopedic concerns in the secondary school setting
 - \circ $\;$ Most Common: ankle, wrist
 - $\circ \quad \text{Difficult Differentiation: knee, shoulder}$
 - \circ $\,$ Other: neck, DVT $\,$
- Use of clinical prediction rules in practice to assist decision-making
 Don't require special tissue testing, can assist with flow of assessment
- Patient management considerations

9

Orthopedic Assessment Overview

- 4 main tissue types in the orthopedic realm
 - $\circ \quad {\rm Bone,\, ligament,\, muscle/tendon,\, vascular/nerve}$
- Goal is to rule in or rule out involvement of different tissues
- I speak about involvement of tissues in terms of "suspicion" • low vs moderate vs high
- Mechanism of Injury
 - \circ ~ If accurate, can be used to narrow down involved tissues





























































References

- Doherty, C., Delahunt, E., Caulfield, B., Hertel, J., Ryan, J. and Bleakley, C., 2014. The incidence and prevalence of ankle sprain injury: a
 systematic review and meta-analysis of prospective epidemiological studies. Sports medicine, 44(1), pp.123-140.
- Walenkamp MM, Bentohami A, Slaar A et-al. The Amsterdam wrist rules: the multicenter prospective derivation and external validation of a clinical decision rule for the use of radiography in acute wrist trauma. BMC Musculoskelet Disord. 2015;16 (1): 389.
- Bentohami A, Walenkamp MM, Slaar A et-al. Amsterdam wrist rules: a clinical decision aid. BMC Musculoskelet Disord. 2011;12 (1): 238
- Bachmann LM, Haberzeth S, Steurer J, ter Riet, G. The accuracy of the Ottawa knee rule to rule out knee fractures: a systematic review. Ann Intern Med. 2004 Jan 20;140(2):121-4. Review.
- Cheung TC, Tank Y, Breederveld RS, Tuinebreijer WE, de Lange-de Klerk ES, Derksen RJ. Diagnostic accuracy and reproducibility of the Ottawa Knee Rule vs the Pittsburgh Decision Rule. American Journal of Emergency Medicine 2013;31(4):641-5. http://www.ncbi.nlm.nih.gov/pubmed/23399332.
- Stiell IG, Wells GA, Vandemheen KL, Clement CM, Lesiuk H, De Maio VJ, Laupacis A, Schull M, McKnight RD, Verbeek R, Brison R. The Canadian C-spine rule for radiography in alert and stable trauma patients. Jama. 2001 Oct 17;286(15):1841-8.
- Modi S, Deisler R, Gozel K, Reicks P, Irwin E, Brunsvold M, Banton K, Beilman GJ. Wells criteria for DVT is a reliable clinical tool to assess the risk of deep venous thrombosis in trauma patients. World J Emerg Surg. 2016; 11: 24
- Hillegass E, Puthoff M, Frese EM, Thigpen M, Sobush DC, Auten B, Guideline Development Group. Role of physical therapists in the management of individuals at risk for or diagnosed with venous thromboembolism: evidence-based clinical practice guideline. Physical therapy. 2016 Feb 1;96(2):143-66.

35

School Nurse Dashboard

Karlee Dana, BSN, BA, RN- kdana@lexingtonma.org Jacqui Falco, MSN, BSN, BA, RN- jfalco@lexingtonma.org

MSNO Spring Conference

March 16, 2024



Steps needed bef School Nurse Das	ore creating a shboard		
Planning	Organizing	Design	
What information do you want on the dashboard?	Adding all documents into a Google Drive	-Icons -Wording	







Resources to create a School Nurse Dashboard Nurse Leader Colleagues Tech Support







































BREAK 11:50 AM to 12:50 PM PLEASE visit our exhibitors





THE END! THANK YOU!!!!

PLEASE share feedback on the evals AND what you want to see in future programming!